



Sportlight Tubular Clear @TU*83720 HGMI 2000W/D1 TU MIH 178615

Product information

Sportlight lamps are high light output Metal Halide Lamps with high colour rendering index. They are designed for use in sport stadia and other recreational facilities.

Application areas



Road and tunnel



Street and
pedestrian



Commercial areas

Product data

Product Code	178615
Light Center Length [mm]	265
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	430
Net weight per piece [g]	630
Gross weight per piece [g]	1168
Operating position	H60 - Horiz 60 degrees
Mercury Content [mg]	325.793
Brand	Tungsrám
Cap/Base	Special

Performance data

Rated Lumens [lm]	171159
Weighted energy consumption [kWh/1000h]	2294.78
Nominal efficacy [LpW]	85
Rated efficacy [LpW]	82
Energy efficiency class (EEC)	A
Nominal chromaticity coordinate X	0.3
Nominal chromaticity coordinate Y	0.3
Nominal correlated colour temperature (CCT) [K]	6000
Nominal lumens [lm]	170000
Colour Rendering Index (CRI) [Ra]	93


Electrical data

Rated power [W]	2086.2
Run-up time (sec)	240
Hot restart time (sec)	420
Dimming Capability	No
Ballast Required	Yes
Nominal lamp voltage range [V]	230
Nominal power [W]	2000
Nominal lamp voltage [V]	230


Logistic data

DUN Code	19004100786152
Pack Quantity	4
Layer quantity	24 EUR
Layer quantity EUR	24
Pallet quantity EUR (PC)	24
Outer case size	395 x 390 x 625 (mm)
Product status	Marked for phase-out

Lumen maintenance data



Survival data



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[HID Lamps Spectrum Catalogue \(EN\) \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Datasheet \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

